NANUK





IP67 WATERPROOF









NANUK





The long awaited Nanuk bow case is finally hitting the market. Bow case users will now have the chance to store their gear in the world's best protective cases.

The 991 Bow Case is built to be fast and smooth with stainless steel ball-bearing wheels and three spring-loaded handles that make it the perfect low profile waterproof and dustproof hard case that can be thrown in a truck bed or carried on rugged terrain.

The interior design of the bow foam provides modular storage to keep your equipment well organize and secure.

Key Features

IP 67 Waterproof, crushproof, dustproof case

- 3 soft grip handles over molded for optimized comfort
- 2 large polyurethane wheels, sealed stainless steel bearing wheels
- 6 PowerClaw latches for maximum security

High quality polyethylene and EVA foam, designed to protect your gear from high impacts

- Space for an arc that measures 40", x 15.145" (total)
- Foam inserts to fit 12 arrows (in the lid)
- · One slot for the stabiliser
- 4 straps to lock in your arc
- 2 slots to fit in our Nanuk 225 accessory cases for broadhead storage or other accessories (225 sold separately)



MAP: \$449.95 us | \$599.95 CAN

SPECIFICATIONS

Interior dimensions	L44.56" x W17.13" x H8.38" L1131mm x W435mm x H212mm
Exterior dimensions	L47.75" x W20.13" x H9.50" L1212mm x W511mm x H241mm
Weight	10.9 kg 24.0 lbs
Lid depth	2.25" 57mm
Base depth	6.13" 155mm
Temperature range	Min -20°F (-29°C) Max 140°F (60°C)
Airline cabin carry-on	No
Watertight	Yes - IP67
Warranty	Conditional lifetime guarantee

ACCESSORIES



225 Case



ID Window



TSA Approved Latches



Airtag™ Holder



TSA Approved Padlock

Description Item Number

Nanuk 991 Bow Foam 991S-080BK-0A0-C1477



NANUK





991 FEATURES



2 Large and Strong Polyurethane Wheels



3 Soft Grip Strong Handles



Highly Stackable



6x Powerclaw Latches

NANUK^{*}





CERTIFICATIONS

DEF-STAN 81-41

IP6X Ingress protection dustproof

IP7X Ingress protection Waterproof



ASTM D-4169 DC-18 Drop Test



Mil-STD-810F Immersion



MIL-STD-810G - Fungus Test



ATA Specification 300 Category 1 Impact



Case Shell - NK-7 High Impact Polypropylene

Latches - Nylon 66

Handle - NK-7 High Impact Polypropylene | TPE

Purge Valve - Nylon 66 | Gore Membrane | Silicone Washers

Pins/Hardware - 304 Stainless Steel

Gasket - EPDM

Wheels - Polyurethane | Polycarbonate





North America Headquarters

Plasticase Inc. 1059 Boulevard des Entreprises Ouest Terrebonne, Québec, Canada J6Y 1V2

T: 450.628.1006 | 1.800.783.6883

E: info@nanuk.com www.nanukcases.ca

Plasticase USA Inc./NANUK

2915 Ogletown Road Newark, Delaware, 19713 USA

T: 450.628.1006 | 1.800.783.6883

E: info@nanuk.com www.nanuk.com

NANUK EU B.V. **NANUK Europe**

Burg. J.G. Legroweg 96 9761TD Eelde, The Netherlands

T: +31 50 3128694

E: info@nanuk.eu www.nanuk.eu



